

BRANFORD LOCK WORKS, BRANFORD, CONN.

---


MANUFACTURERS OF

# LOCKS, KNOBS, CATCHES,

**Drawer Handles and Pulls, Escutcheons,  
Sash Fasteners, Latches,**

AND EVERY DESCRIPTION OF

Metal Door Furnishings, Bell Pulls, etc.



## DESCRIPTION OF FINISHES

— OF —

PLAIN AND ORNAMENTAL IRON HARDWARE.

---

### ARCADIAN BRONZED.

Bronzed with Bronzing Liquid on the Natural or Unpolished Casting.

### BYZANTIAN BRONZED.


Bronzed with Bronzing Liquid on Castings having GROUND OR POLISHED SURFACES, which gives a pleasing contrast with the Background.

### BRANFORD BRONZED.

Copper Plated Surfaces and Black Background.

### IRON BRONZED.

BRONZE PLATED Surface and Background, in imitation of our NO. 1 FINISH Bronze Metal.



Nos. 5601, 5602.

BRONZE METAL FRONT, PLAIN SPINDLE,

**REVERSIBLE**

# Vestibule Lever Mortise Night Latches

WITH NIGHT WORK AND STOP.

**IVY DESIGN.**

Size,  $4\frac{1}{8} \times 4$  Inches.

**WROUGHT IRON INSIDE WORK.**

---

No.	DESCRIPTION.
<b>5601</b>	Bronze Metal Front, Bolt and Strike, ONE WROUGHT Tumbler, Nickel-Plated Brass Keys.
<b>5602</b>	Same as No. 5601, but with THREE WROUGHT Tumblers, 36 Changes.

Packed one in a paper box, with Bronze Metal Thumb Knobs.


The above Latches are made with five-sixteenths inch Hub for Plain Spindles.

BRANFORD LOCK WORKS, BRANFORD, CONN.

---

## MORTISE KNOB LOCKS,

FOR  
French  
Windows  
OR  
Narrow Stile  
Sash Doors.  
ORIENTAL DESIGN.




RABBETED FRONT.

Size,  $3\frac{3}{4} \times 1\frac{5}{8}$  inches.

No. 01710.

### DESCRIPTION:

Iron Bronzed Rabbeted  
Front and Strike, Brass  
Bolts, Nickel-Plated Brass  
Key, ONE Tumbler.




The above Locks are not Reversible, but are made Right and Left Hand.  
When ordering, please state which hand is required.  
Packed half dozen in paper boxes.

---

## REVERSIBLE HORIZONTAL RIM KNOB LATCHES.

OPEN CASE.




Size,  $3\frac{1}{2} \times 2\frac{1}{2}$  inches.

No. 200½. DESCRIPTION—Iron Bolt, Round Cornered Case.

# BRANFORD LOCK WORKS, BRANFORD, CONN.

---


## SOCKET AND SCREW SASH HOOKS.



**No. P345.**  
Plain Bronze Metal.



**No. 305.**  
Bronze Metal.



**No. P315.**  
Plain Bronze Metal.



**No. 768.**  
1 inch.  
Bronze Metal.



**No. 780.**  
1 inch.  
Bronze Metal.




**No. P770.**  
1 inch.  
Plain Bronze Metal.




**No. P777.**  
1 1/4 inch.  
Plain Bronze Metal.

---


## MORTISE DEAD LOCKS, SUITABLE FOR CLOSETS OR DRAWERS. Size, 1 3/4 x 1 3/4 inches.



**Nos. 72 to 73.**



**Nos. B1973 and 01973.**



Nos. 2869 to 2973; 2672 to 2680.

## JANUS-FACED

# Reversible Horizontal Rim Knob Locks

WITH STOP.

PLAIN JAPANNED CASE.

SIZE, 6 × 4 INCHES.

### CAST IRON INSIDE WORK.

No.	DESCRIPTION.
<b>2869</b>	Iron Bolts, Malleable Iron Key, ONE Tumbler.
<b>2872</b>	Iron Bolts, Nickel-Plated Brass Key, ONE Tumbler.
<b>2972</b>	Iron Bolts, Nickel-Plated Steel Key, ONE Tumbler.
<b>2873</b>	Brass Bolts, Nickel Plated Brass Key, ONE Tumbler.
<b>2973</b>	Brass Bolts, Nickel-Plated Steel Key, ONE Tumbler.

### WROUGHT IRON INSIDE WORK.

No.	DESCRIPTION.
<b>2672</b>	Iron Bolts, Nickel-Plated Steel Key, ONE WROUGHT Tumbler, 24 Changes.
<b>2673</b>	Brass Bolts, Nickel-Plated Steel Key, ONE WROUGHT Tumbler, 24 Changes.
<b>2678</b>	Iron Bolts, Nickel-Plated Steel Key, two WROUGHT Tumblers, 36 Changes.
<b>2680</b>	Brass Bolts, Nickel-Plated Steel Key, two WROUGHT Tumblers, 36 Changes.

Packed half dozen in paper boxes, with Japanned Plate Escutcheons.

# BRANFORD LOCK WORKS, BRANFORD, CONN.


No. 800 to 804.

## THIN MORTISE KNOB LOCKS.

*REVERSIBLE BY REMOVING CAP.*

Size,  $4\frac{1}{4} \times 3\frac{1}{2}$  inches.

Cast Iron Inside Work.



No.	DESCRIPTION.
<b>800</b>	Same as No. 802, but with NICKEL-PLATED BRASS KEY.
<b>801</b>	Iron Front, Brass Bolts, Wrought Iron Strike, Nickel-Plated Brass Key, one Tumbler.
<b>802</b>	Iron Front and Bolts, Wrought Iron Strike, Malleable Iron Key, one Tumbler.
<b>803</b>	Brass Front and Strike, Iron Bolts, Nickel-Plated Brass Key, one Tumbler.
<b>804</b>	Brass Front, Bolts and Strike, Nickel-Plated Brass Key, one Tumbler.

Packed half dozen in paper boxes.

The above Locks can be used on doors  $\frac{3}{4}$  inches thick, and have sufficient wood left to hold the Rose and Escutcheon Screws firmly in their places.

## ORNAMENTAL IRON PADLOCKS,

WITH FLAT STEEL KEYS.

BRANFORD AND IRON BRONZED CASE.


BRANFORD BRONZED.

No.	SIZE.	DESCRIPTION.
<b>B990</b>	2 inches.	Branford Bronzed Case and Shackle, one Key, 12 Changes.
<b>B992</b>	$2\frac{1}{2}$ inches.	Branford Bronzed Case and Shackle, one Key, 12 Changes.
<b>B994</b>	$2\frac{3}{4}$ inches.	Branford Bronzed Case and Shackle, one Key, 12 Changes.




IRON BRONZED.

No.	SIZE.	DESCRIPTION.
<b>0990</b>	2 inches.	Iron Bronzed Case and Shackle, one Key, 12 Changes. Packed one dozen in paper boxes.




BRANFORD LOCK WORKS, BRANFORD, CONN.

BRONZE METAL DOOR KNOB.  
MORTISE.



**No. 2366.**  
 $2\frac{1}{4} \times 2\frac{1}{2}$  inch.  
Bronze Metal Knobs, Round Roses.

FRENCH WINDOW CATCH.




**No. 505.** Bronze Metal.

SURFACE DRAWER  
PULLS.




**No. 163.**  
4 inch.  
Bronze Metal.




**No. P187.**  
Plain Bronze Metal.

CUPBOARD TURNS.




**No. 600.** Bronze Metal.



**No. P500.** Plain Bronze Metal.

PATENT SASH FASTENERS.




**No. P550.** Plain Bronze Metal.



**No. 750.** Bronze Metal.

Packed one dozen in paper boxes, complete with screws.



## PLAIN BRONZE METAL BELL PULLS.

No. P3350.

Diameter of Knob, 2 inches.


### DESCRIPTION :

Plain Bronze Metal Ball Knob, Square Base.

## FAST JOINT SHUTTER FLAPS..




No. 22.  $1\frac{1}{4} \times 2$  inch.  
Ivy Design.



No. 20.  $1\frac{1}{4} \times 2$  inch.  
Plain Bronze Metal.

## HOOK SASH LIFTS.



No. P90.



No. 70.

## REVERSIBLE SHUTTER BARS.



No. 125.

No.	SIZE.	DESCRIPTION.
120	2 inch.	Bronze Metal.
125	$2\frac{1}{2}$ inch.	Bronze Metal.
B120	2 inch.	Branford Bronzed.
B125	$2\frac{1}{2}$ inch.	Branford Bronzed.
O120	2 inch.	Iron Bronzed.
O125	$2\frac{1}{2}$ inch.	Iron Bronzed.
I120	2 inch.	Byzantian Bronzed.
I125	$2\frac{1}{2}$ inch.	Byzantian Bronzed.

All the above Shutter Bars are the same design as No. 125, differing only in style of finish.



## KEY-HOLE DROP ESCUTCHEONS.




**No. 435.** Japanned  
**No. B2545.** Branford Bronzed.  
**No. 02545.** Iron Bronzed.  
**No. 2545.** Bronze Metal.




**No. 430.** Japanned.  
**No. B2548.** Branford Bronzed.  
**No. 02548.** Iron Bronzed.  
**No. 2548.** Bronze Metal.




**No. B2729.** Branford Bronzed.  
**No. 02729.** Iron Bronzed.  
**No. 2729.** Bronze Metal.



**No. 066.** Plated.  
**No. P066.** Plain Bronze Metal.



**No. 0150.** Porcelain.



**No. 088.** Plated.  
**No. P088.** Plain Bronze Metal.

---


## PLATE ESCUTCHEONS.



**No. 10.** Plated.



**No. 012.** Plated.



**No. 115.** Porcelain.




**No. 108.** Porcelain.

**No. P108.** Plain Bronze Metal.

# BRANFORD LOCK WORKS, BRANFORD, CONN.


## FAST AND LOOSE SCREW SHUTTER KNOBS. FAST SCREW.



$1\frac{1}{4}$  inch.  
No. 55. Mineral.



$1\frac{1}{4}$  inch.  
No. 60. Porcelain.




$1\frac{1}{4}$  inch.  
No. 45. Jet.

No. 55. Mineral.	Inch,	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$1\frac{3}{4}$
No. 60. Porcelain.	Inch,	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	
No. 45. Jet.	Inch,	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	

### LOOSE SCREW.



$1\frac{1}{4}$  inch.  
No. 50. Jet.




$1\frac{1}{4}$  inch.  
No. 70. Porcelain.

No. 50. Jet.	Inch,	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	
No. 70. Porcelain.	Inch,	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2

## PORCELAIN PICTURE KNOBS. WITH AND WITHOUT BASE.




1 inch.  
No. 80. Without Base.



1 inch.  
No. 85. With Base.

No. 80. Without Base.	Inch,	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$
No. 85. With Base.	Inch,	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$

## JET DOOR KNOBS.



No. 2412.

### FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

	No.	DIAMETER OF KNOB.	DESCRIPTION.
RIM.	203.	$2\frac{1}{4}$ inch.	Jet Knobs, Japanned Iron Necks and Rose.
	2411.	$2\frac{1}{4}$ inch.	Jet Knobs, Electro-Plated Necks and Rose.
	P2411.	$2\frac{1}{4}$ inch.	Jet Knobs, Plain Bronze Metal Necks and Rose.
MORTISE.	205.	$2\frac{1}{4}$ inch.	Jet Knobs, Japanned Iron Necks and Roses.
	2412.	$2\frac{1}{4}$ inch.	Jet Knobs, Electro-Plated Necks and Roses.
	P2412.	$2\frac{1}{4}$ inch.	Jet Knobs, Plain Bronze Metal Necks and Roses.

All the above Nos. packed half-dozen in paper boxes. Twenty dozen in a case.

The above Rim Nos. are spindled to extend from  $1\frac{3}{4}$  to  $2\frac{1}{2}$  inches.

All the above Nos. can be spindled any length desired.

The above Mortise Nos. are spindled to extend from  $1\frac{1}{4}$  to  $2\frac{1}{4}$  inches.

All the above Nos. can be made  $2\frac{1}{4} \times 2\frac{1}{2}$  in. when so ordered.